



Free Online Pattern

81/86-122/127cm
32/34-48/50in

2
designs

includes
larger
sizes




Stylecraft

Ladies Twinset in Naturals Organic Cotton DK

MEASUREMENTS

To Fit Chest/Bust	cm	81-86	92-97	102-107	112-117	122-127
	in	32-34	36-38	40-42	44-46	48-50
Actual Measurement	cm	89.5	100.5	109.5	120.5	129.5
	in	35¼	39½	43¼	47½	51
Full Length	cm	62	63	64	64	65
	in	24½	24¾	25¼	25¼	25½
Sleeve Length	cm	47	48	48	49	49
	in	18½	19	19	19¼	19¼

YOU WILL NEED

Cardigan

Naturals organic Cotton DK	50g balls	11	13	14	15	16
----------------------------	-----------	----	----	----	----	----

Colour used Coffee Bean 7190

Vest

Naturals Organic Cotton DK	50g balls	7	8	9	9	10
----------------------------	-----------	---	---	---	---	----

Colour used Rosewood 7189

Alternative Yarns Naturals Bamboo Cotton DK. If using an alternative yarn, please check the meterage as the number of balls needed may vary.

1 pair 4mm (UK 8/US 6) knitting needles, 7 buttons, stitch holders

ABBREVIATIONS

alt alternate	fol following	k3tog knit next 3 sts together	st(s) stitch(es)
beg beginning	g grammes	mm millimetre(s)	st-st stocking stitch
cm centimetre(s)	in inch(es)	p purl	tbl through back loops
cont continue	inc increase(ing)	pat pattern	tog together
dec decrease(ing)	k knit	rem remain(ing)	ws wrong side
	k2tog knit next 2 sts together	rep repeat	yfwd yarn forward
		rs right side	yo yarn over needle

SPECIAL ABBREVIATIONS

KB1 knit into back of next stitch

PB1 purl into back of next stitch

The yarn amounts stated are based on average requirements and are therefore approximate.

TENSION 22 sts and 28 rows to 10cm, 4in, over stocking st on 4mm needles or the size required to give the correct tension.

23 st lace panel to 9cm, 3½in, on 4mm needles or the size required to give the correct tension.

It is essential to work to the stated tension to ensure the correct size of garment and you should always knit a tension square.

If there are less sts and rows to 10cm, 4in, change to finer needles if there are more sts and rows to 10cm, 4in, change to larger needles.

Instructions are given for the first, smallest size. Larger sizes are given in square brackets. Where only one figure is given, this applies to all sizes. Where the figure 0 appears, no stitches, times, or rows are worked for this size.

After casting off, one stitch will remain on the right hand needle which is not included in the instructions that follow.

Although every effort has been made to ensure that instructions are correct, Stylecraft cannot accept any liabilities.

Stylecraft cannot accept responsibility for the result of using any other yarn.

Circle the size you wish to make

CARDIGAN

BACK

Using 4mm needles, cast on 99[111:121:133:143] sts.

Row 1 (rs): *KB1, p1; rep from * to last st, KB1.

Row 2: *PB1, k1; rep from * to last st, PB1.

These 2 rows form 1x1 twisted rib.

Cont in twisted rib until Back measures 4cm, 1½in, ending rs facing for next row.

Work in st-st (k 1 row, p 1 row), starting with a k row until Back measures

43[43:43:42:42]cm, 17[17:17:16½:16½]in, ending rs facing for next row.

Armhole shaping

Cast off 7[8:9:11:12] sts at beg of next 2 rows. 85[95:103:111:119] sts.

Dec 1 st at each end of next 3[3:3:7:11] rows. 79[89:97:97:97] sts.

Dec 1 st at each end of foll 2[2:3:4:3] alt rows. 75[85:91:89:91] sts.

Dec 1 st at each end of 0[1:1:0:0] foll 4th rows. 75[83:89:89:91] sts.

Cont straight in st-st until armhole measures 19[20:21:22:23]cm,

7½[7¾:8¼:8¾:9]in, ending rs facing for next row.

Shoulder shaping

Cast off 5[6:7:7:7] sts at beg of next 2 rows.

Cast off 5[7:7:7:7] sts at beg of next 2 rows.

Cast off 6[7:8:8:8] sts at beg of next 2 rows.

Cast off rem 43[43:45:45:47] sts.

LEFT FRONT

Using 4mm needles, cast on 47[53:59:65:71] sts.

Row 1 (rs): (KB1, p1) 7[10:12:15:18] times, KB1, (yfwd, k2, k3tog tbl, k2,

yfwd, k1) twice, yfwd, k2, k3tog tbl, k2, yfwd, (KB1, p1) 4[4:5:5:5] times, KB1.

Row 2: (PB1, k1) 4[4:5:5:5] times, PB1, p23, (PB1, k1) 7[10:12:15:18] times, PB1.

These 2 rows form rib and lace patt.

Cont in rib and lace patt until Front measures 4cm, 1½in, ending rs facing for next row.

Row 1 (rs): K15[21:25:31:37], (yfwd, k2, k3tog tbl, k2, yfwd, k1) twice, yfwd, k2, k3tog tbl, k2, yfwd, k9[9:11:11:11].

Row 2: Purl.

These 2 rows form st-st and lace patt.

Cont in st-st and lace patt until Front measures 43[43:43:42:42]cm,

17[17:17:16½:16½]in, ending rs facing for next row.

Armhole shaping

Keeping patt correct, cast off
7[8:9:11:12] sts at beg of next row.
40[45:50:54:59] sts.

Work 1 row.

Dec 1 st at armhole edge of next
3[3:3:7:11] rows. 37[42:47:47:48] sts.

Dec 1 st at armhole edge of foll
2[2:3:4:3] alt rows. 35[40:44:43:45] sts.

Dec 1 st at armhole edge of 0[1:1: 0:0]
foll 4th row. 35[39:43:43:45] sts.

Cont straight in patt until armhole
measures 7[7:8:8:9]cm, 2¾[2¾:
3¼:3¼:3½]in, ending ws facing for next
row.

Neck shaping

As you shape the neck, you will need
to adjust the lace panel so that you end
up with the correct stitch counts. When
there are insufficient sts to work a
whole repeat of the lace, replace that
repeat with st-st.

Cast off 9[9:11:11:13] sts at beg of next
row. 26[30:32:32:32] sts.

Dec 1 st at neck edge of next 5 rows.
21[25:27:27:27] sts.

Dec 1 st at neck edge of foll 3 alt rows.
18[22:24:24:24] sts.

Dec 1 st at neck edge of 2 foll 4th rows.
16[20:22:22:22] sts.

Cont straight in patt until armhole
measures same as Back to start of
shoulder shaping, ending rs facing for
next row.

Shoulder shaping

Shape shoulder as foll:

Cast off 5[6:7:7:7] sts at beg of next
row. 11[14:15:15:15] sts.

Work 1 row.

Cast off 5[7:7:7:7] sts at beg of next
row.

Work 1 row.

Cast off rem 6[7:8:8:8] sts.

RIGHT FRONT

Using 4mm needles, cast on
47[53:59:65:71] sts.

Row 1 (rs): (KB1, p1) 4[4:5:5:5] times,
KB1, (yfwd, k2, k3tog tbl, k2, yfwd, k1)
twice, yfwd, k2, k3tog tbl, k2, yfwd,
(KB1, p1) 7[10:12:15:18] times, KB1.

Row 2: (PB1, k1) 7[10:12:15:18] times,
PB1, p23, (PB1, k1) 4[4:5:5:5] times,
PB1.

These 2 rows form rib and lace patt.

Cont in rib and lace patt until Front
measures 4cm, 1½in, ending rs facing
for next row.

Row 1 (rs): K9[9:11:11:11], (yfwd, k2,
k3tog tbl, k2, yfwd, k1) twice, yfwd, k2,
k3tog tbl, k2, yfwd, k15[21:25:31:37].

Row 2: Purl.

These 2 rows form st-st and lace patt.

Cont in st-st and lace patt until Front
measures 43[43:43:42:42]cm,
17[17:17:16½:16½]in, ending ws facing
for next row.

Armhole shaping

Keeping patt correct, cast off
7[8:9:11:12] sts at beg of next row.
40[45:50:54:59] sts.

Dec 1 st at armhole edge of next
3[3:3:7:11] rows. 37[42:47:47:48] sts.

Dec 1 st at armhole edge of foll
2[2:3:4:3] alt rows. 35[40:44:43:45] sts.

Dec 1 st at armhole edge of 0[1:1:0:0]
foll 4th rows. 35[39:43: 43:45] sts.

Cont straight in patt until armhole
measures 7[7:8:8:9]cm, 2¾[2¾:
3¼:3¼:3½]in, ending rs facing for next
row.

Neck shaping

As you shape the neck, you will need
to adjust the lace panel so that you end
up with the correct stitch counts. When
there are insufficient sts to work a
whole repeat of the lace, replace that
repeat with st-st.

Cast off 9[9:11:11:13] sts at beg of next
row. 26[30:32:32:32] sts.

Work 1 row.

Dec 1 st at neck edge of next 5 rows.
21[25:27:27:27] sts.

Dec 1 st at neck edge of foll 3 alt rows.
18[22:24:24:24] sts.

Dec 1 st at neck edge of 2 foll 4th rows.
16[20:22:22:22] sts.

Cont straight in patt until armhole
measures same as Back to start of
shoulder shaping, ending ws facing for
next row.

Work shoulder shaping as for Left
Front.

SLEEVES

Using 4mm needles, cast on
53[55:57:59:61] sts.

Row 1 (rs): *KB1, p1; rep from * to last
st, KB1.

Row 2: *PB1, k1; rep from * to last st,
PB1.

These 2 rows form 1x1 twisted rib.

Cont in twisted rib until Sleeve
measures 4cm, 1½in, ending rs facing
for next row.

Cont in st-st, inc 1 st at each end of
next and every foll 6th[6th:4th:4th:alt] row
to 63[89:83:107:73] sts.

Cont in st-st, inc 1 st at each end of
every foll 8th[8th:6th:6th:4th] row to
83[93:103:113:123] sts.

Cont straight in st-st until Sleeve
measures 47[48:48:49:49]cm,
18½[19:19:19¼:19¼]in, ending rs
facing for next row.

Sleevehead shaping

Cont in st-st casting off 7[8:9:11:12] sts
at beg of next 2 rows. 69[77:85:91:99]
sts.

Dec 1 st at each end of foll 5 rows.
59[67:75:81:89] sts.

Dec 1 st at each end of foll 12[10:8:7:8]
alt rows. 35[47:59: 67:73] sts.

Dec 1 st at each end of every row to
17[17:17:17:23] sts.

Cast off rem sts.

FINISHING

Join shoulder seams. Set in sleeves.
Join sleeve and side seams in one.

Button band

With rs facing, and 4mm needles, pick
up and knit 99[99:101:99:101] sts down
Left Front.

Row 1 (ws): *PB1, k1; rep from * to
last st, PB1.

Row 2: *KB1, p1; rep from * to last st,
KB1.

These 2 rows set twisted rib. Work a
further 6 rows in twisted rib.

Cast off in patt on ws.

Buttonhole band

With rs facing, and 4mm needles, pick
up and knit 99[99:101:99:101] sts up
Right Front.

Work 3 rows in twisted rib as set on
button band.

Next row (rs): (KB1, p1) twice,
*k2tog tbl, yo, (KB1, p1) 7 times; rep
from * to last 15[15:17:15:17] sts,
k2tog tbl, yo, (KB1, p1) 6[6: 7:6:7]
times, KB1.

Work 4 more rows in twisted rib as set.
Cast off in patt on ws.

Neck trim

With rs facing, and 4mm needles, pick
up and knit 31[33:35:37:39] sts along
front neck up to shoulder seam, pick up
and knit 43[43:45:45:47] sts along back
neck, pick up and knit 31[33:35:37:39]
sts back down to front neck.

105[109:115:119:125] sts.

Work 3 rows in twisted rib as set on
button band.

Next row (rs): KB1, p1, k2tog tbl, yo,
*KB1, p1; rep from * to last st, KB1.

Work 4 more rows in twisted rib as set.
Cast off in patt on ws.

Pin out cardigan to measurements
given. Cover with clean, damp tea
towels and leave to dry. See ball band
for washing and further care
instructions.

VEST

BACK

Using 4mm needles, cast on
99[111:121:133:143] sts.

Row 1 (rs): *KB1, p1; rep from * to last
st, KB1.

Row 2: *PB1, k1; rep from * to last st,
PB1.

These 2 rows form 1x1 twisted rib.
Cont in twisted rib until Back measures
4cm, 1½in, ending rs facing for next
row.

Row 1 (rs): (KB1, p1) twice, k to last 4 sts, (p1, KB1) twice.

Row 2: (PB1, k1) twice, p to last 4 sts, (k1, PB1) twice.

These 2 rows form twisted rib and st st. Cont in twisted rib and st-st until Back measures 12cm, 4¾in, ending rs facing for next row.

Work in st-st (k 1 row, p 1 row), starting with a k row until Back measures 43[43:43:42:42]cm, 17[17:17:16½:16½]in, ending rs facing for next row.

Armhole shaping

Cont in st-st casting off 8[9:10:13: 14] sts at beg of next 2 rows.

83[93:101:107:115] sts.

Dec 1 st at each end of next 5[5:5:9:11] rows. 73[83:91:89:93] sts.

Dec 1 st at each end of foll 2[2:3: 3:4] alt rows. 69[79:85:83:85] sts.

Dec 1 st at each end of 1[2:2:1:1] foll 4th rows. 67[75:81:81:83] sts.

Cont in st-st until armhole measures 19[20:21:22:23]cm, 7½[7¾:8¼:8¾:9]in, ending rs facing for next row.

Shoulder shaping

Cast off 4[5:6:6:6] sts at beg of next 4 rows. 51[55:57:57:59] sts.

Cast off 4[6:6:6:6] sts at beg of next 2 rows.

Cast off rem 43[43:45:45:47] sts.

FRONT

Using 4mm needles, cast on 99[111:121:133:143] sts.

Row 1 (rs): (KB1, p1) 19[22:24:27:30] times, (KB1) 0[0:1:1:0] times, (yfwd, k2, k3tog tbl, k2, yfwd, k1) twice, yfwd, k2, k3tog tbl, k2, yrn[yrn:yfwd:yfwd:yrn], (KB1) 0[0:1:1:0] times, (p1, KB1) 19[22:24:27:30] times.

Row 2: (PB1, k1) 19[22:24:27:30] times, (PB1) 0[0:1:1:0] times, p23, (PB1) 0[0:1:1:0] times, (k1, PB1) 19[22:24:27:30] times.

These 2 rows form 1x1 twisted rib and lace panel. Cont in twisted rib and lace panel until Front measures 4cm, 1½in, ending rs facing for next row.

Row 1 (rs): (KB1, p1) twice, k34[40:45:51:56], (yfwd, k2, k3tog tbl, k2, yfwd, k1) twice, yfwd, k2, k3tog tbl, k2, yfwd, k to last 4 sts, (p1, KB1) twice.

Row 2: (PB1, k1) twice, p to last 4 sts, (k1, PB1) twice.

These 2 rows form twisted rib, lace panel and st-st. Cont as set until Front measures 12cm, 4¾in, ending rs facing for next row.

Row 1 (rs): K38[44:49:55:60], (yfwd, k2, k3tog tbl, k2, yfwd, k1) twice, yfwd, k2, k3tog tbl, k2, yfwd, k38[44:49:55:60].

Row 2: Purl.

These 2 rows form st-st and lace panel. Cont in st-st and lace panel until Front measures 43[43:43:42: 42]cm, 17[17:17:16½:16½]in, ending rs facing for next row.

Armhole shaping

Cont in patt and cast off 8[9:10: 13:14] sts at beg of next 2 rows.

83[93:101:107:115] sts.

Dec 1 st at each end of next 5[5:5:9:11] rows. 73[83:91:89:93] sts.

Dec 1 st at each end of foll 2[2:3: 3:4] alt rows. 69[79:85:83:85] sts.

Dec 1 st at each end of 1[2:2:1:1] foll 4th rows. 67[75:81:81:83] sts.

Work a further 5[1:3:1:1] rows in patt, ending rs facing for next row.

Neck shaping

Next row (rs): K22[26:28:28:28], slip these 22[26:28:28:28] sts just worked to a holder, cast off 23[23: 25:25:27], k to end. 22[26:28:28:28] Right Front sts rem.

The remainder of the Front is worked in st-st.

P 1 row.

Cont in st-st decreasing 1 st at neck edge of next 5 rows. 17[21:23:23:23] sts.

Dec 1 st at neck edge of foll 3 alt rows. 14[18:20:20:20] sts.

Dec 1 st at neck edge of 2 foll 4th rows. 12[16:18:18:18] sts.

Cont straight in patt until armhole measures same as Back to start of shoulder shaping, ending ws facing for next row.

Shoulder shaping

Cast off 4[5:6:6:6] sts at beg of next and foll alt row. 4[6:6:6:6] sts.

Work 1 row.

Cast off rem 4[6:6:6:6] sts.

With ws facing, rejoin yarn to 22[26:28:28:28] Left Front sts and work to match right side of neck reversing all shapings.

FINISHING

Join right shoulder seam.

Neck trim

With rs facing, and 4mm needles, pick up and knit 17[19:20:22:23] sts down left front neck, pick up and knit 22[22:24:24:26] sts along centre front neck, pick up and knit 17[19:20:22:23] sts up right front neck, pick up and knit 43[43:45: 45:47] sts along back neck. 99[103:109:113:119] sts.

Work 8 rows in twisted rib as set on Cardigan button band.

Cast off in patt on ws.

Join left shoulder and neck trim seam.

Armhole trims (work both alike)

With rs facing, and 4mm needles, pick up and knit 47[49:53:59:63] sts evenly from underarm to shoulder seam, pick up and knit 1 st from shoulder seam, pick up and knit 47[49:53:59:63] sts evenly down to underarm.

95[99:107:119:127] sts.

Work 4 rows in twisted rib as set on Cardigan button band.

Cast off in patt on ws.

Join side seams, leaving a 12cm, 4¾in vent unseamed at each side.

Pin out vest to measurements given.

Cover with clean, damp tea towels and leave to dry. See ball band for washing and further care instructions.




Stylecraft

Spectrum Yarns, Spa Mill, New Street, Slaithwaite, HD7 5BB

www.stylecraft-yarns.co.uk



facebook.com/stylecraftyarn



twitter.com/stylecraftyarn

The colour reproduction in this pattern is matched as closely as possible to the yarn but due to photography and printing restrictions some slight variations may occur.

WARNING – COPYRIGHT: This publication is protected by the law of copyright and may not be reproduced or copied either by photocopying or in any other way. It is sold on the condition that it is only used for non-commercial purposes. All other rights are expressly reserved by Stylecraft.

