

BELLISSIMA

chunky

9690

81/86-122/127cm

32/34-48/50in

2
designs

includes
larger
sizes



Stylecraft

Sweaters in Bellissima Chunky 9690

MEASUREMENTS

To Fit Bust	cm	81-86	91-97	102-107	112-117	122-127
	in	32-34	36-38	40-42	44-46	48-50
Actual Measurement	cm	105	115	125	135	145
	in	41¼	45¼	49¼	53¼	57¼
Round neck sweater Full length	cm	58	60	64	67	69
	in	24½	23¾	25¼	26½	27¼
Roll neck sweater Full length	cm	60	62	66	69	71
	in	23¾	24½	26	27¼	28
Sleeve Length	cm	43	43	44	45	45
	in	17	17	17¼	17¾	17¾

YOU WILL NEED

Round neck sweater						
Bellissima Chunky	100g balls	6	7	8	8	9
Colour used Totally Teal 3976						
Roll neck sweater						
Bellissima Chunky	100g balls	7	8	8	9	10
Colour used Paper Parchment 3973						
Alternative Yarns Life Chunky, Special Chunky. If using an alternative yarn, please check the meterage as the number of balls needed may vary.						

A pair of 5mm (UK6 - US8) knitting needles, a pair of 6mm (UK4 - US10) knitting needles, stitch holder, stitch markers.

ABBREVIATIONS

approx approximately	fol following	mm millimetre(s)	st(s) stitch(es)
beg beginning	g grammes	p purl	st-st stocking stitch
cm centimetre(s)	g-st garter stitch	patt pattern	tog together
cont continue	in inch(es)	rem remain(ing)	ws wrong side
dec decrease(ing)	inc increase(ing)	rep repeat	
	k knit	rs right side	

SPECIAL ABBREVIATION

M1 make a st: pick up the horizontal strand lying between the sts and k into the back of it, twisting it.

The yarn amounts stated are based on average requirements and are therefore approximate.

TENSION 14 sts and 20 rows to 10 cm, 4 in, over st-st on 6mm needles or the size required to give the correct tension. 16 sts and 20 rows to 10 cm, 4 in, over k2, p2 rib patt on 6mm needles or the size required to give the correct tension. 14 sts and 28 rows to 10 cm, 4 in, over g-st stripe patt on 6mm needles or the size required to give the correct tension.

It is essential to work to the stated tension to ensure the correct size of garment and you should always knit a tension square.

If there are less sts and rows to 10 cm, 4 in, change to finer needles if there are more sts and rows to 10 cm, 4 in, change to larger needles.

Instructions are given for the first, smallest size. Larger sizes are given in square brackets. Where only one figure is given, this applies to all sizes. Where the figure 0 appears, no stitches, times, or rows are worked for this size.

Although every effort has been made to ensure that instructions are correct, Stylecraft cannot accept any liabilities.

Stylecraft cannot accept responsibility for the result of using any other yarn.

Owing to photography and printing restrictions the colour reproduction is matched as closely as possible to the yarn.

Circle the size you wish to make ROUND NECK SWEATER BACK

Using 5mm needles, cast on 73[81:87:95:103] sts.

Row 1 (rs): K1, *p1, k1; rep from * to end.

Row 2: P1, *k1, p1; rep from * to end. These 2 rows form k1, p1 rib.

Cont in rib until work measures 10cm, 4in, ending with a rs row.

Inc row (ws): Rib 9[10:11:12:13], M1, rib 18[20:20:22:24], M1, rib 11[12:13:14:15], M1, (rib 8[9:10:11:12], M1) 4 times, rib 3 to end. 80[88:94:102:110] sts.

Change to 6mm needles.

Knit 3 rows, ending with a rs row.

Next row (ws): K38[42:44:48:52], place a marker on the needle, k to end.

Row 1 (rs): K2, *p2, k2; rep from * to marker, slip marker, k to end.

Row 2: P38[42:44:48:52] to marker, slip marker, p2, *k2, p2; rep from * to end.

Row 3: As row 1.

Row 4: K38[42:44:48:52] to marker, slip marker, p2, *k2, p2; rep from * to end.

Row 5: As row 1.

Row 6: As row 4.

Row 7: As row 1.

Row 8: As row 2.

Row 9: As row 1.

Row 10 (short row): K38[42:44:48:52] to marker and turn, leaving 42[46:50:54:58] rib sts unworked.

Row 11 (short row): K38[42:44:48:52] to end.

Row 12: K38[42:44:48:52] to marker, slip marker, p2, *k2, p2; rep from * to end.

Rep row 7 to row 12 twice more.

These 24 rows form patt of k2, p2 rib and g-st stripes; the short rows are worked to keep each panel the same length. Centre marker indicates change of patt.

Cont in patt as set until back measures approx 55[57:61:64:66]cm, 21¼[22½:24:25¼:26]in, ending with row 6[12:24:8:12] of the patt.

Shape shoulders and back neck

Next row (rs): Cast off 8[10:11:12:13] sts in patt, work 17[19:22:23:26] sts in patt (including last st used for casting off) and turn, leaving rem

55[59:61:67:71] sts on a spare needle.

Next row: P2tog, patt to end.

16[18:21:22:25] sts.

Next row: Cast off 8[10:11:12:13] sts in patt, patt to end. 8[8:10:10:12] sts.

Patt 1 row.

Cast off rem sts in patt.

With rs of work facing, slip next 32[32:32:36:36] sts onto a stitch holder for back neck, rejoin yarn to rem 23[27:29:31:35] sts and k to end.

Next row (ws): Cast off 8[9:10:10:12] sts in patt, patt to last 2 sts, p2tog. 14[17:18:20:22] sts.

Next row: Patt to end.

Next row: Cast off 8[9:10:10:12] sts in patt, patt to end. 6[8:8:10:10] sts.

Next row: Patt to end.
Cast off rem sts in patt.

FRONT

Using 5mm needles, cast on 73[81:87:95:103] sts.

Work 10cm, 4in, in k1, p1 rib as given for Back, ending with a rs row.

Inc row (ws): Rib 3, M1, (rib 8[9:10:11:12], M1) 4 times, rib

11[12:13:14:15], M1, rib 18[20:20:22:24], M1, rib 9[10:11:12:13] to end. 80[88:94:102:110] sts.

Change to 6mm needles.

Knit 3 rows, ending with a rs row.

Next row (ws): K42[46:50:54:58], place a marker on the needle, k to end.

Row 1 (rs): K38[42:44:48:52] to marker, slip marker, k2, *p2, k2: rep from * to end.

Row 2: P2, *k2, p2; rep from * to marker, slip marker, p to end.

Row 3: As row 1.

Row 4: P2, *k2, p2; rep from * to marker, slip marker, k to end.

Row 5: As row 1.

Row 6: As row 4.

Row 7: As row 1.

Row 8: As row 2.

Row 9: As row 1.

Row 10: P2, *k2, p2; rep from * to marker, slip marker, k to end.

Row 11 (short row): K38[42:44:48:52] to marker and turn, leaving 42[46:50:54:58] rib sts unworked.

Row 12 (short row): K38[42:44:48:52] to end.

Rep row 7 to row 12 twice more.

These 24 rows form patt of k2, p2 rib and g-st stripes; the short rows are worked to keep each panel the same length. Centre marker indicates change of patt.

Cont in patt as set until there are 6 g-st stripes less than Back, counting down from shoulder shaping, ending with row 20[2:14:22:2] of patt.

Shape front neck

Next row (rs): K30[34:36:40:44] and turn, leaving rem 50[54:58:62:66] sts on a spare needle.

Next row: K2tog, k to end.
29[33:35:39:43] sts.

For 1st size only

Work 2 rows without shaping.

Starting with row 1, work 7 rows in g-st stripe patt, dec 1 st at neck edge on every row. 22 sts.

For 2nd and 5th sizes only

Starting with row 5, work 6 rows in g-st stripe patt, dec 1 st at neck edge on every row. [27:37] sts.

Work 2 rows without shaping.

Work [1:3] rows, dec 1 st at neck edge on every row. [26:34] sts.

For 3rd size only

Work 2 rows without shaping.

Starting with row 19], work 4 rows in g-st stripe patt, dec 1 st at neck edge on every row. [31] sts.

Work 2 rows without shaping.

Work 3 rows, dec 1 st at neck edge on every row. [28] sts.

For 4th size only

Starting with row 1, work 9 rows in g-st stripe patt, dec 1 st at neck edge on every row. 30 sts.

For all sizes

Keeping neck edge straight, work 23[23:21:23:21] rows in g-st stripe patt, ending with row 6[12:24:8:12] of patt.

Shape shoulder

Next row (rs): Cast off 8[9:10:10:12] sts in patt, patt to end. 14[17:18:20:22] sts.
Patt 1 row.

Next row: Cast off 8[9:10:10:12] sts in patt, patt to end. 6[8:8:10:10] sts.
Patt 1 row.

Cast off rem sts in patt.

With rs of work facing, slip next 18 sts onto a stitch holder for front neck, rejoin yarn to rem 32[36:40:44:48] sts and patt to end.

Keeping rib patt correct, dec 1 st at neck edge on next 8[8:8:10:10] rows.
24[28:32:34:38] sts.

Keeping neck edge straight, work 14[14:14:12:12] rows in patt, ending with a rs row. This side of the neck should measure approx the same as first side of neck.

Shape shoulder

Keeping rib patt correct, cast off 8[10:11:12:13] sts in patt at beg of next and foll alt row. 8[8:10:10:12] sts.

Work 1 row in patt.

Cast off rem sts in patt.

SLEEVES

Using 5mm needles, cast on 33[35:35:37:37] sts.

Work 12cm, 4³/₄in, in k1, p1 rib as given for Back, ending with a ws row.

Change to 6mm needles.

Row 1 (rs): Knit to end.

Row 2: Purl to end.

These 2 rows form st-st.

Cont in st-st, inc 1 st at each end of next and every foll 6th[6th:4th:4th:4th] row to 51[55:61:65:67] sts.

Cont in st-st without shaping until sleeve measures 43[43:44:45:45]cm, 17[17:17¹/₄:17³/₄:17³/₄]in, ending with a p row.

Shape top

Cast off 9[10:11:12:12] sts at beg of next 4 rows. 15[15:17:17:19] sts.

Cast off rem sts.

TO MAKE UP

Join right shoulder seam, matching sts.

Neckband

With rs of work facing, using 5mm needles, pick up and k 25 sts down side of front neck, k across 18 sts from front neck stitch holder as foll: k5, M1, k8, M1, k5, then pick up and k 25 sts up side of front neck, 4 sts down side of back neck, then k across 32[32:32:36:36] sts from back neck stitch holder dec 1 st at centre, then pick up and k 4 sts up side of back neck. 109[109:109:113:113] sts.

Starting with a ws row, work 3cm, 1¹/₄in, in k1, p1 rib as given for Back, ending with a ws row.

Cast off in rib.

Join left shoulder and neckband seam. To indicate armholes, place markers 20[22:24:25:26]cm, 8[8³/₄:9¹/₂:9³/₄:10¹/₄]in, down from shoulder seams on side edges of the Back and Front. Place a marker in the centre of the sleeve top. Sew the sleeve into the armhole between the markers, matching the centre marker to the shoulder seam. Join side and sleeve seams. Pin out sweater to the measurements given. Cover with clean, damp tea towels and leave to dry. See ball band for washing and further care instructions.

ROLL NECK SWEATER

BACK

Using 5mm needles, cast on 73[81:87:95:103] sts.

Row 1 (rs): K1, *p1, k1; rep from * to end.

Row 2: P1, *k1, p1; rep from * to end. These 2 rows form k1, p1 rib.

Cont in rib until work measures 10cm, 4in, ending with a rs row.

Inc row (ws): Rib 9[10:11:12:13], M1, rib 18[20:20:22:24], M1, rib 11[12:13:14:15], M1, (rib 8[9:10:11:12], M1) 4 times, rib 3 to end. 80[88:94:102:110] sts.

Change to 6mm needles.

Knit 3 rows, ending with a rs row.

Next row (ws): K38[42:44:48:52], place a marker on the needle, k to end.

Row 1 (rs): K2, *p2, k2; rep from * to marker, slip marker, k to end.

Row 2: P38[42:44:48:52] to marker, slip marker, p2, *k2, p2; rep from * to end.

Row 3: As row 1.

Row 4: K38[42:44:48:52] to marker, slip marker, p2, *k2, p2; rep from * to end.

Row 5: As row 1.

Row 6: As row 4.

Row 7: As row 1.

Row 8: As row 2.

Row 9: As row 1.

Row 10 (short row): K38[42:44:48:52] to marker and turn, leaving 42[46:50:54:58] rib sts unworked.

Row 11 (short row): K38[42:44:48:52] to end.

Row 12: K38[42:44:48:52] to marker, slip marker, p2, *k2, p2; rep from * to end.

Rep row 7 to row 12 twice more.

These 24 rows form patt of k2, p2 rib and g-st stripes; the short rows are worked to keep each panel the same length. Centre marker indicates change of patt.

Cont in patt as set until back measures approx 57[59:63:66:68]cm, 22½[23¼:24¼:26:26¾]in, ending with row 12[18:6:14:18] of the patt.

Shape shoulders and back neck

Next row (rs): Cast off 7[8:10:10:12] sts in patt, work 14[17:19:21:23] sts in patt (including last st used for casting off) and turn, leaving rem 59[63:65:71:75] sts on a spare needle.

Next row: P2tog, patt to end. 13[16:18:20:22] sts.

Next row: Cast off 7[8:10:10:12] sts in patt, patt to end. 6[8:8:10:10] sts.

Patt 1 row.

Cast off rem sts in patt.

With rs of work facing, slip next 40[40:40:44:44] sts onto a stitch holder for back neck, rejoin yarn to rem 19[23:25:27:31] sts and patt to end.

Next row (ws): Cast off 6[8:8:9:10] sts in patt, patt to last 2 sts, p2tog. 12[14:16:17:20] sts.

Next row: Patt to end.

Next row: Cast off 6[8:8:9:10] sts in patt, patt to end. 6[6:8:8:10] sts.

Next row: Patt to end.

Cast off rem sts in patt.

FRONT

Using 5mm needles, cast on 73[81:87:95:103] sts.

Work 10cm, 4in, in k1, p1 rib as given for Back, ending with a rs row.

Inc row (ws): Rib 3, M1, (rib 8[9:10:11:12], M1) 4 times, rib 11[12:13:14:15], M1, rib 18[20:20:22:24], M1, rib 9[10:11:12:13] to end. 80[88:94:102:110] sts.

Change to 6mm needles.

Knit 3 rows, ending with a rs row.

Next row (ws): K42[46:50:54:58], place a marker on the needle, k to end.

Row 1 (rs): K38[42:44:48:52] to marker, slip marker, k2, *p2, k2: rep from * to end.

Row 2: P2, *k2, p2; rep from * to marker, slip marker, p to end.

Row 3: As row 1.

Row 4: P2, *k2, p2; rep from * to marker, slip marker, k to end.

Row 5: As row 1.

Row 6: As row 4.

Row 7: As row 1.

Row 8: As row 2.

Row 9: As row 1.

Row 10: P2, *k2, p2; rep from * to marker, slip marker, k to end.

Row 11 (short row): K38[42:44:48:52] to marker and turn, leaving 42[46:50:54:58] rib sts unworked.

Row 12 (short row): K38[42:44:48:52] to end.

Rep row 7 to row 12 twice more.

These 24 rows form patt of k2, p2 rib and g-st stripes; the short rows are worked to keep each panel the same length. Centre marker indicates change of patt.

Cont in patt as set until there are 4 g-st stripes less than Back, counting down from shoulder shaping, ending with row 14[20:8:16:20] of patt.

Shape front neck

Next row (rs): K24[28:30:34:38] and turn, leaving rem 56[60:64:68:72] sts on a spare needle.

Next row: K2tog, k to end. 23[27:29:33:37] sts.

For 1st and 3rd sizes only

Knit 2 rows without shaping.

Starting with row 19[13], work 4 rows in g-st stripe patt, dec 1 st at neck edge on every row. 19[25] sts.

Work 2 rows without shaping.

Work 1 row, dec 1 st at neck edge.

18[24] sts.

For 2nd and 5th sizes only

Knit 2 rows without shaping.

Starting with row 1, work [5:7] rows in g-st stripe patt, dec 1 st at neck edge on every row. [22:30] sts.

For 4th size only

Starting with row 19, work 4 rows in g-st stripe patt, dec 1 st at neck edge on every row. 29 sts.

Work 2 rows without shaping.

Work 3 rows, dec 1 st at neck edge on every row. 26 sts.

For all sizes

Keeping neck edge straight, work 11[13:11:11:11] rows in g-st stripe patt, ending with row 12[18:6:14:18] of patt.

Shape shoulder

Next row (rs): Cast off 6[8:8:9:10] sts in patt, patt to end. 12[14:16:17:20] sts. Patt 1 row.

Next row: Cast off 6[8:8:9:10] sts in patt, patt to end. 6[6:8:8:10] sts.

Patt 1 row.

Cast off rem sts in patt.

With rs of work facing, slip next 30 sts onto a stitch holder for front neck, rejoin yarn to rem 26[30:34:38:42] sts and patt to end.

Keeping rib patt correct, dec 1 st at neck edge on next 6[6:6:8:8] rows. 20[24:28:30:34] sts.

Keeping neck edge straight, work 8[8:8:6:6] rows in patt, ending with a rs row. This side of the neck should measure approx the same as first side of neck.

Shape shoulder

Keeping rib patt correct, cast off 7[8:10:10:12] sts in patt at beg of next and foll alt row. 6[8:8:10:10] sts.

Work 1 row in patt.

Cast off rem sts in patt.

SLEEVES

Work as given for Sleeves of Round Neck Sweater.

TO MAKE UP

Join right shoulder seam, matching sts.

Roll Collar

With rs of work facing, using 5mm needles, pick up and k 21 sts down side of front neck, k across 30 sts from front neck stitch holder as foll: k8, M1, k14, M1, k8, then pick up and k 21 sts up side of front neck, 4 sts down side of back neck, k across 40[40:40:44:44] sts from back neck stitch holder then pick up and k 4 sts up side of back neck. 122[122:122:126:126] sts.

Row 1 (ws): P2, *k2, p2; rep from * to end.

Row 2: K2, *p2, k2; rep from * to end.

These 2 rows form k2, p2 rib.

Cont in rib until collar measures 13cm, 5¼in, ending with a ws row.

Change to 6mm needles.

Cont in rib until collar measures 26cm, 10¼in, ending with a ws row.

Cast off in rib.

Join left shoulder seam. Join collar seam. If you would like to wear collar turned down when sewing up reverse collar seam halfway so it is covered when the collar is folded over. To indicate armholes, place markers 20[22:24:25:26]cm, 8[8¾:9½:9¾:10¼]in, down from shoulder seams on side edges of the Back and Front. Place a marker in the centre of the sleeve top. Sew the sleeve into the armhole between the markers, matching the centre marker to the shoulder seam. Join side and sleeve seams. Pin out sweater to the measurements given. Cover with clean, damp tea towels and leave to dry. See ball band for washing and further care instructions.


Stylecraft

Spectrum Yarns, Spa Mill, New Street, Slaithwaite, HD7 5BB

www.stylecraft-yarns.co.uk



facebook.com/stylecraftyarn



twitter.com/stylecraftyarn

190-9690-01



5 1034533 073854