

**batik**  
ELEMENTS  
double knitting



3  
designs

9560  
One size



  
Stylecraft

## MEASUREMENTS

<b>Garter Stitch Picot edge scarf</b>	cm 160x20 in 63¼ x8
<b>Fingerless Mittens</b>	approx. 21 cm, 8¼ in, around hand
<b>Hat</b>	<b>Circumference:</b> 32cm, 12 ½ in <b>Length:</b> 22cm, 8 ¾ in

## YOU WILL NEED

<b>Garter Stitch Picot Scarf</b>	
Batik Elements DK	50g balls 4
<b>Colour used</b>	Titanium 1938
<b>Fingerless Mitts</b>	
Batik Elements DK	50g balls 2
<b>Colour Used</b>	Magnesium 1940
<b>Hat</b>	
Batik Elements DK	50g balls 2
<b>Colour Used</b>	Galium 1939
<b>Alternative Yarns</b> Batik DK, Batik Swirl. If using an alternative yarn please check the meterage as the number of balls needed may vary.	
1 pair 4.5 mm (UK 7 – USA 7) needles. 1 pair 4 mm (UK 8 – USA 6) knitting needles. Cable Needle. 1 pair 3¼ mm (UK 10 – USA 3) knitting needles.	

## ABBREVIATIONS

<b>alt</b> alternate	<b>fol</b> following	<b>p</b> purl	<b>tog</b> together
<b>beg</b> beginning	<b>g</b> grammes	<b>patt</b> pattern	<b>ws</b> wrong side
<b>cm</b> centimetre(s)	<b>in</b> inch(es)	<b>rem</b> remain(ing)	<b>ym</b> yarn round
<b>CN</b> cable needle	<b>inc</b> increase(ing)	<b>rep</b> repeat	needle
<b>cont</b> continue	<b>k</b> knit	<b>rs</b> right side	
<b>dec</b> decrease(ing)	<b>mm</b> millimetre(s)	<b>st(s)</b> stitch(es)	

## SPECIAL ABBREVIATIONS

- 1x1 Rib**  
**1st row.** \* K1, p1, rep from \* to last st, k1.  
**2nd row.** P1, \* k1, p1, rep from \* to end.  
 Rep 1st and 2nd rows.  
**Cr3L** slip 2 sts onto cable needle and hold at front of work, p1, then k2 from cable needle  
**Cr3R** slip 1 st onto cable needle and hold at back of work, k2, then p1 from cable needle  
**C4B** slip 2 sts onto cable needle and hold at back of work, k2, then k2 from cable needle  
**m1** make 1 st by picking up the horizontal st lying between the st just worked and the next st, knitting into the back of it

The yarn amounts stated are based on average requirements and are therefore approximate.

**TENSION** see tension at the beginning of each pattern

**It is essential to work to the stated tension to ensure the correct size of garment and you should always knit a tension square.** If there are less sts and rows to 10cm, 4in, change to finer needles if there are more sts and rows to 10cm, 4in, change to larger needles. Instructions are given for the first, smallest size. Larger sizes are given in square brackets. Where only one figure is given, this applies to all sizes. Where the figure 0 appears, no stitches, times, or rows are worked for this size. After casting off, one stitch will remain on the right hand needle which is not included in the instructions that follow. Although every effort has been made to ensure that instructions are correct, Stylecraft cannot accept any liabilities. **Stylecraft cannot accept responsibility for the result of using any other yarn.** Owing to photography and printing restrictions the colour reproduction is matched as closely as possible to the yarn.

## GARTER STITCH PICOT EDGE SCARF

**TENSION** 19 sts and 40 rows to 10 cm, 4 in, over garter stitch on 4.5 mm needles.

Using 4.5 mm needles cast on 5 sts.

**1st row.** Cast off 2 sts, k2. 3 sts.

**2nd row.** Cast on 5 sts, cast off 2 sts, k5. 6 sts.

**3rd row.** Cast on 5 sts, cast off 2 sts, k8. 9 sts.

**4th row.** Cast on 5 sts, cast off 2 sts, k11. 12 sts.

**5th row.** Cast on 5 sts, cast off 2 sts, k14. 15 sts.

**6th row.** Cast on 5 sts, cast off 2 sts, k17. 18 sts.

These 6 rows set garter stitch with picot edge.

Cont as set, noting that there will be 3 sts increased in each row until there are 306 sts.

Cast off.

## TO FINISH

Cover with a clean, damp tea towel and leave until dry. See ball band for washing and further care instructions.

## FINGERLESS MITTS

### TENSION

Cable Panel of 18 sts measures 7 cm, 2¾ in.

22 sts and 30 rows to 10 cm, 4 in, over stocking stitch on 4 mm needles, or the size required to give correct tension.

### LEFT MITT

Using 3¼mm needles and thumb method cast on 55 sts, 5 rows in 1x1 rib.

**6th row.** Rib 4, rib2tog, (rib 7, rib2tog) 5 times, rib 4. 49 sts.

Change to 4 mm needles and work as follows:

**1st row.** K3, p2, (s1, k2, pssso, p3) twice, s1, k2, pssso, p2, k27.

**2nd row.** P27, k2, p1, yrn, p1, (k3, p1, yrn, p1) twice, k2, p3.

**3rd row.** K3, p2, (k3, p3) twice, k3, p2, k27.

**4th row.** P27, k2, p3, (k3, p3) twice, k2, p3.

From 1st to 4th row forms **patt**.

Cont in patt until left mitt measures approximately 29 cm, 11½ in, ending with a 3rd row of patt.

**Next Row.** P7, m1p, (p7, m1p) 5 times, p7. 55 sts.

Change to 3¼ mm needles and beg with 1st row of 1x1 rib work 6 rows. Cast off in rib.

## RIGHT MITT

Using 3¼ mm needles and thumb method cast on 55 sts, 5 rows in 1x1 rib.

**6th row.** Rib 4, rib2tog, (rib 7, rib2tog) 5 times, rib 4. 49 sts.

Change to 4 mm needles and work as follows:

**1st row.** K27, p2, (s1, k2, pssso, p3) twice, s1, k2, pssso, p2, k3.

**2nd row.** P3, k2, p1, yrn, p1, (k3, p1, yrn, p1) twice, k2, p27.

**3rd row.** K27, p2, (k3, p3) twice, k3, p2, k3.

**4th row.** P3, k2, p3, (k3, p3) twice, k2, p27.

From 1st to 4th row forms **patt**.

Cont in patt until right mitt measures approximately 29 cm, 11½ in, ending with a 3rd row of patt.

**Next Row.** P7, m1p, (p7, m1p) 5 times, p7. 55 sts.

Change to 3¼ mm needles and beg with 1st row of 1x1 rib work 6 rows. Cast off in rib.

## TO MAKE UP

Join seam leaving 4 cm, 1½ in opening for thumb, 4 cm, 1½ in up from cast on edge.

See ball band for washing and further care instructions.

## HAT

**TENSION** 26 sts and 30 rows to 10cm, 4in, over cable patt on 4mm needles or the size required to give the correct tension.

Cable panel of 12 sts measures 3.5cm, 1½in

Using 4mm needles cast on 98sts.

**Row 1 (rs):** P2, \*k2, p2; rep from \* to end.

**Row 2:** K2, \*p2, k2; rep from \* to end.

Rep last 2 rows twice more then row 1 again ending ws facing for next row.

**Next row (inc):** (K2, p2) x 3, k2 \*p1, m1, p1, k2, p1, m1, p1, (k2, p2) x 2, k2: rep from \* to last 4sts, p2, k2. 108sts

Cont in patt as folls:

**Row 1:** \*K4, p2, Cr3L, Cr3R, p2, k4; rep from \* to end.

**Row 2:** \*P4, k3, p4, k3, p4; rep from \* to end.

**Row 3:** \*K4, p3, C4B, p3, k4; rep from \* to end.

**Row 4:** As row 2.

**Row 5:** \*K4, p2, Cr3R, Cr3L, p2, k4; rep from \* to end.

**Row 6:** \*P4, (k2, p2) twice, k2, p4; rep from \* to end.

**Rows 7, 9 and 11:** \*K4, p2, (k2, p2) x 2, k4; rep from \* to end.

**Rows 8, 10 and 12:** As row 6.

These 12 rows form the cable patt. Cont in patt until hat measures approx 16cm, 6¼ in, ending with rs facing for next row.

## Shape Crown

**Next row (dec):** K2tog, k2, \*patt 10sts, k2tog, k4, k2tog; rep from \* to last 14sts, patt 10sts, k2tog, k2. 96sts

Patt 1 row.

**Next row (dec):** K2tog, k1, \*patt 10sts, k2tog, k2, k2tog; rep from \* to last 13sts, patt 10sts, k2tog, k1. 84sts

Patt 1 row.

**Next row (dec):** K2tog, \*patt 10sts, (k2tog) x 2; rep from \* to last 12sts, patt 10sts, k2tog. 72sts

Patt 1 row.

**Next row (dec):** K2tog across row. 36sts

**Next row:** P2tog across row. 18sts

**Next row:** K2tog across row. 9sts

Break yarn and thread through rem sts, secure tightly.

## FINISHING

Sew up back seam.

Make a bobble and attach to top of hat securely. Cover with clean, damp tea towels and leave until dry. See ball band for washing and further care instructions.



Stylecraft

Spectrum Yarns, Spa Mill, New Street, Slaithwaite, HD7 5BB

[www.stylecraft-yarns.co.uk](http://www.stylecraft-yarns.co.uk)



[facebook.com/stylecraftyarn](https://facebook.com/stylecraftyarn)



[twitter.com/stylecraftyarn](https://twitter.com/stylecraftyarn)



Stylecraft

190-9560-01

