

Alpaca Tweed

chunky

76/82 – 117/122cm
30/32 – 46/48in

includes
larger
sizes



Stylecraft

Alpaca Tweed Chunky Scarf Neck Sweater

MEASUREMENTS

LADIES		S	M	L	XL	XXL
To fit Chest Jacket and Sweater	cm	76-82	86-91	96-102	107-112	117-122
	In	30-32	34-36	38-40	42-44	46-48
Actual Measurement	cm	85	96	104	115	126
	in	33½	37¾	41	45¼	49¾
Full Length	cm	63	63	65	65	67
	in	24¾	24¾	25½	25½	26½
Sleeve Length	cm	46	46	47	47	48
	In	18	18	18½	18½	19

YOU WILL NEED

Sweater

Alpaca Tweed Chunky	100g	9	10	10	11	11
---------------------	------	---	----	----	----	----

Colour Used Avocado 1736

Needles and Notions 6mm (UK 4, US 10) needles Stitch holder

ABBREVIATIONS

alt alternate	fol following	p purl	st(s) stitch(es)
beg beginning	g grammes	patt pattern	tog together
cm centimetre(s)	in inch(es)	rem remain(ing)	ws wrong side
cont continue	inc increase(ing)	rep repeat	
dec decrease(ing)	k knit	rs right side	
	mm millimetre(s)	rnd round	

The yarn amounts stated are based on average requirements and are therefore approximate.

TENSION 16 sts and 24 rows to 10 cm, 4 in, over Pattern on 6 mm needles or the size required to give the correct tension.

It is essential to work to the stated tension to ensure the correct size of garment and you should always knit a tension square.

If there are less sts and rows to 10cm, 4in, change to finer needles if there are more sts and rows to 10cm, 4in, change to larger needles.

Instructions are given for the first, smallest size. Larger sizes are given in square brackets. Where only one figure is given, this applies to all sizes. Where the figure 0 appears, no stitches, times, or rows are worked for this size.

After casting off, one stitch will remain on the right hand needle which is not included in the instructions that follow.

Although every effort has been made to ensure that instructions are correct, Stylecraft cannot accept any liabilities.

Stylecraft cannot accept responsibility for the result of using any other yarn.

Circle the size you wish to make
SWEATER

Back

With 6 mm needles cast on
68[77:83:92:101] sts.

Row 1 (rs): Knit.

Row 2: P2, *k1, p2; rep from * to end.

These 2 rows form pattern.

Cont in patt as set until work
measures 41[40:41:40:41] cm,
16[15¾:16:15¾:16:15½] in,
ending rs facing for next row.

Armholes

Cast off 3[4:5:6:7] sts at beg of
next 2 rows. 62[69:73:80:87] sts.
Keeping patt correct dec 1 st
each end of next 3[3:3:5:5] rows
and every foll alt row to 54[57:
61:64:67] sts.

Cont straight in patt until
armhole measures 19[20:21:22
:23] cm, 7½[8:8¼:8¾:9] in,
ending rs facing for next row.

Shoulders

Cast off 6[7:8:9:9] sts at beg of
next 2 rows then 6[6:7:8:9] sts at
beg of foll 2 rows.

Cast off rem 30[31:31:30:31] sts.

FRONT

Work as for Back until 16 rows
less than Back have been
worked to start of Shoulder
shaping.

Neck Shaping

Patt 18[19:21:23:24] sts, turn
and work this side first, leaving
rem sts on a stitch holder.

Work 1 row.

Next row (rs): Patt to last 2sts,
k2tog.

Cont to dec at neck edge on
every foll alt rows until 12[13:15:
17:18] sts rem.

Cont straight until work
measures same as Back to start
of Shoulder shaping ending rs
facing for next row.

Shoulder

Cast off 6[7:8:9:9] sts at beg of
next row and 6[6:7:8:9] sts at
beg of foll alt row.

Rejoin yarn to rem sts, cast off centre 18[19, 19, 18, 19] sts and complete second half of front to match first half, reversing all shapings.

Sleeves

With 6 mm needles cast on 35[35:38:38:38] sts and work in patt as follows:

Row 1 (rs): Knit.

Row 2: P2, *k1, p2; rep from * to end.

Cont in patt as set increasing 1 st each end of 5th and every foll 10th[8th, 8th, 8th, 6th] row to 53[57:62:64:66] sts taking extra sts into patt.

Cont straight in patt until work measures 46[46:47:47:48]cm, 18[18:18½:18½:19]in, ending rs facing for next row.

Sleevehead

Cast off 3[4:5:6:7] sts at beg of next 2 rows. 47[49:52:52:52] sts. Keeping patt correct dec 1 st each end of next row and every foll alt row until 15[15:16:20:22] sts rem then every row 0[0:0:2:3] times. 15[15:16:16:16] sts. Cast off.

Neck Trim

With 6 mm cast on 38 sts and work in patt as set by Back for 6cm, 2½ in, ending rs facing for next row.

Cont in patt as set until trim measures 150 cm, 59 in.

Cast off.

Finishing

Sew shoulder seams together. Set in sleeves.

Join side seams and underarm seams in one.

Fold neck trim in half and pin centre point to centre of Back neck.

Sew to neck edge starting 10cm, 4in, down from left shoulder, sewing up neck edge, across back neck and 10cm, 4in, down right front.



Stylecraft

Spectrum Yarns, Spa Mill, New Street, Slaithwaite, HD7 5BB

www.stylecraft-yarns.co.uk



facebook.com/stylecraftyarn



twitter.com/stylecraftyarn

WARNING – COPYRIGHT: This publication is protected by the law of copyright and may not be reproduced or copied either by photocopying or in any other way. It is sold on the condition that it is only used for non-commercial purposes. All other rights are expressly reserved by Stylecraft.

12

1

2

3

4

5

6

7

8

9

10

11